



## MAINTENANCE INSTRUCTIONS

# REGUPOL AKTIVLOK

### Initial Cleaning

- 1 Remove all loose debris by vacuuming, sweeping or by using a dust mop.
- 2 Wet scrub the floor by using a buffer or auto scrubber fitted with a soft nylon brush or 3M Blue Cleaner Pad 5300 or equivalent. The floor can also be cleaned by hand by using a microfiber mop head. We recommend using Diversey Profi Floor Cleaner and Grease Remover (product manufactured by Diversy – see notes) as a detergent for cleaning and maintenance but any neutral pH(7-9) is acceptable to use on the floor. Dilute the solution 10 oz. per gallon of water. Do not flood the floor with water.
- 3 Use a wet vacuum to pick up the cleaning solution from the floor and rise with clean water. Again, do not flood the floor. The rinse water should then be wet vacuumed from the floor.
- 4 Allow the floor to dry before foot traffic.

### Regular Maintenance

- 1 Keep surface free from loose debris by sweeping, using a dust mop or by vacuuming the surface daily or as needed.
- 2 Damp mop surface by using a microfiber mop head or by using an auto scrubber fitted with a soft nylon brush. Use Diversey Profi Floor Cleaner and Grease Remover as the detergent and dilute 6-10 oz/gallon water.
- 3 Use a wet vacuum to pick up the cleaning solution from the floor and rise with clean water. Again, do not flood the floor. The rinse water should then be wet vacuumed from the floor.
- 4 Allow the floor to dry before foot traffic.

## Disinfecting REGUPOL Flooring

- 1 Before disinfecting the floor, you must follow the Regular Maintenance procedures in this manual to first properly clean the floor using the recommended methods. Allow the floor to dry before disinfecting.
- 2 To disinfect the **REGUPOL** floor we recommend using the LYSOL® Brand I.C.™ Quaternary Disinfectant. This disinfectant is currently on the EPA list for and meets the EPA criteria for use against SARS-CoV-2, the virus that causes COVID-19 (<https://www.epa.gov/pesticide-registration/list-n-disinfectants-use-against-sars-cov-2>).
- 3 For additional guidelines on Cleaning and Disinfection for Community facilities please refer to current CDC Guidelines found here: <https://www.cdc.gov/coronavirus/2019-ncov/community/organizations/cleaning-disinfection.html>
- 4 For information on sourcing this product please contact: LYSOL® Brand I.C.™ Quaternary Disinfectant Cleaner is part of a system of infection control products provided by Reckitt Benckiser Professional. 1-800-677-9218 VISIT AT [www.reckittprofessional.com](http://www.reckittprofessional.com)

### DISTRIBUTED BY:

RECKITT BENCKISER INC.  
1655 VALLEY ROAD  
WAYNE, NEW JERSEY 07474-0977  
This product is currently approved by the EPA

- 5 Mix a solution of ½ ounce of LYSOL® Brand I.C.™ Quaternary Disinfectant concentrate per gallon of water. Thoroughly wet the flooring surface with the solution by applying with a cloth, mop, sponge, coarse spray, or soaking. Let the solution remain on the flooring surface for a minimum of ten (10) minutes. Rinse or allow to air dry.

## Restorative Maintenance

- 1 Remove all loose debris by vacuuming, sweeping or by using a dust mop.
- 2 Scrub the floor by using an auto scrubber or buffer fitted with a 3M Black Stripper Pad 7200 or equivalent and using Diversey Profi cleaner. Dilute to 10 oz per gallon of water. Keep the surface of the tiles wet to avoid damage to the tiles from the scrub pads. Do not flood the floor.
- 3 Use a wet vacuum to pick up the cleaning solution from the floor and rise with clean water. Again, do not flood the floor. The rinse water should then be wet vacuumed from the floor.
- 4 Allow the floor to dry before foot traffic.

### Note

Diversey products are manufactured by Diversey Inc. For additional information go to <https://www.diversey.com/diversey-care/diversey-products/floor-care>

### REGUPOL America LLC

11 Ritter Way | Lebanon, PA 17042  
phone +1 800 537 8737 | [info@regupol.com](mailto:info@regupol.com)

[regupol.us](http://regupol.us)

©2023 REGUPOL America LLC

AKTIVLOK US  
RAAP-2023.10.0094V2