


REGUPOL

AKTIVPRO ROLL


HIGH-PERFORMANCE RECYCLED RUBBER FLOORING



RAISING THE BAR LEVELING THE FLOOR

Elite athletics is a competitive business. Top athletes are pushing their training to the limits to gain the edge needed to be the best. **REGUPOL® aktivpro roll** flooring system is a full 1" thick system with inlaid platforms — providing the durability to withstand the impact of Olympic weight lifting while offering stable footing and shock absorption for the athlete. Gone are the days of the raised platforms; **aktivpro roll** floors are virtually seamless, allowing the athlete's training to flow from movement to movement.






University of Louisiana Lafayette
1-inch **aktivpro roll** System
Color: Custom Blend
Area: 23,000 SqFt
Authorized Dealer:
RFS Sports – Kemah, TX



"The people of **REGUPOL** were with us every step of the way during the five years of planning for our new facility. The expedient installation, the appearance, and the function of the **REGUPOL aktivpro roll** floor have been flawless — they helped us create the perfect weight training facility."


Rusty Whitt
Head Strength and Conditioning
Coach for Football



PERFORMANCE MEASURED IN **DURABILITY**

Aktivpro roll's composite structure provides the ultimate durability and unparalleled wear resistance, making it the ideal choice for training the country's top athletes. With its ability to withstand the most intense abuse, **aktivpro roll** performs well for a range of activities including heavy weight training for pro sports, colleges and universities, high school sports, military, and general fitness facilities. On top of that, a ten-year warranty ensures **aktivpro roll** will be protecting your athletes and your facility for a long time to come.






The University of Texas at Austin
1-1/4 inch **aktivpro roll** System
Color: Custom Blend
Area: 30,000 SqFt
Authorized Dealer:
RFS Sports – Kemah, TX




“What did we get with our **aktivpro roll** system? One, it's a superior product; two, it's a superior surface... that's what I've gotten, and then the durability of it, we aren't gentle on anything in the weight room – equipment, bars, plates, bumpers, flooring.”

Yancy McKnight
Head Strength and Conditioning
Coach for Football



Elite Training Systems – Whitby
1-inch **aktivpro roll** System
Color: Thunder Gray
Area: 2,300 SqFt
Authorized Dealer:
Gym-Con – Barrie, ON




Elite Training Systems – Windsor, ON
1-inch **aktivpro roll** System
Colors: Thunder Gray, Blue & Gold
Area: 4,900 SqFt
Authorized Dealer:
Gym-Con – Barrie, ON



“People walk in here now and they’re blown away – asking how did you get bigger? Well, we didn’t, we utilized the space better and we put a much better product (**aktivpro roll**) in place.”

Mark Fitzgerald
Strength and Conditioning
Professional



Michigan State University
1-inch **aktivpro roll** System
Color: Thunder Gray
Area: 14,000 SqFt
Authorized Dealer:
Spec Athletic - Plainfield, IL





UNDERLAYMENT CUSTOMIZATION

Solutions to fit whatever your flooring surface needs are.

REGUPOL offers 3 engineered underlayments — **Plyo**, **Fitness**, and **Impact** — each with a specific need in mind. All three are designed to reduce impact and absorb shock under your athletes' training surface. By offering varying densities and thicknesses, it allows us to customize any system for your athletes.



Plyo¹

Soft on the feet by offering extremely high shock absorption. Ideal workouts: Box Jumps, Lateral Jumps, Broad Jumps, Skater Jumps, Scissor Jumps, Rocket Jumps, Dot & Ladder Drills, Lateral Box Shuffles, Barbell Jump Squat, Ball Burpees, Feet Jack



Fitness¹

A combination of the Plyo and Impact options offering ideal shock absorption and handling most workouts. Ideal workouts: Kettlebell Press/Row, Dumbbell Press, Barbell Squat/Press/Lunge, Battling Ropes, Long Bar Row, Bodyweight Flyes/Lunge/Squat, Ball Squat/Push-Up/Crunch, Box Squat, Cables



Impact

A flooring system that not only offers ideal shock absorption but also handles any type of Olympic Weightlifting workouts. Ideal workouts: Clean, Clean & Jerk, Clean/Snatch Deadlift, Deadlift, Snatch, Overhead Squat, Power Clean, Push Press, Split Clean/Jerk, Squats

¹ custom quantities apply

REGUPOL CRASH

CRASH is our ultra-dense surface that is used specifically for the "drop-zone" of inlaid platforms, as well as critical areas that require ultra-dense rubber performance surfaces.

CRASH consists of our **REGUPOL** proprietary formulation to withstand the rigors and abuse of heavy impacts in the weight room. It was designed to mitigate noise, reverberation, and the bounce-back of the barbell to better enhance athlete safety and well-being.


REGUPOL CRASH is offered in four standard thicknesses; 9mm, 12mm, 18mm, and 24mm. It can also be customized to meet your project needs.



REGUPOL CRASH




Anaheim Ducks
1-inch **aktivpro roll** System
Color: Custom Blend
Area: 4,300 SqFt
Authorized Dealer:
Sport Floors Direct – Laguna Hills, CA





Clemson University
1-inch **aktivpro roll** System
Color: Custom Blend
Area: 26,000 SqFt
Authorized Dealer:
RFS Sports – Kemah, TX





The University of Oklahoma
3/4-inch **aktivpro roll** System
Colors: Thunder Gray and OU Red
Area: 15,000 SqFt
Authorized Dealer:
Performance Surfaces
- Oklahoma City, OK






Fresno Unified School District
1 inch **aktivpro roll** System
Color: Custom Blend
Area: 8 different schools
Authorized Dealer:
CRG – Tracy, CA




"Our school district wanted to provide a uniform standard for all 8 of our high schools that could be used by all student groups. The **REGUPOL aktivpro roll** system provided us the performance, safety, design, and cost benefits that allowed us to successfully install this product at each of our schools and transform the weight rooms into high performance training centers."

Brett Mar
Athletic Manager
Fresno Unified School District



University of Michigan
1-inch **aktivpro roll** System
Colors: Thunder Gray, Custom
Blue, and Maize
Area: 36,000 SqFt
Authorized Dealer:
Spec Athletic – Plainfield, IL




PERFORMANCE MEASURED IN BRILLIANT COLORS


REGUPOL aktivpro roll essential (formerly core)




APR10100
Jet Black




APR10101
Gray Hound




APR10102
Jayz Blue



APR10103
Blue Streak




APR10104
Titan Tan




APR10109
Raging Red


REGUPOL aktivpro roll strength




APR35100
Gray Ghost



APR35105
Red Devil



APR35107
Stormy Night



APR35109
Blue Devil


REGUPOL aktivpro roll intense



APR95102
Thunder Gray




APR95105
Avalanche Gray




APR95132
Gotham




APR95134
Iron Den



APR95135
Backyard Scrum



APR95136
Silver Lining



APR95137
Cedar Fit

Custom Colors

Choose from a wide range of standard colors or invent your own. **REGUPOL** will combine our own vibrant EPDM color granules to create a custom color that matches your brand standards (minimum orders apply).

Contact us now! Our team would be glad to assist you.

(800) 537-8737 | sales@regupol.com

CUSTOM COLORS & LOGOS

The beauty of the **aktivpro roll** surface is in its brilliant colors and cushioned comfort. Offering a safe, secure and always attractive solution for tough environments. A range of standard colors is available along with options for custom color matching – meaning **aktivpro roll** can be your workhorse athletic surface while supporting your brand and complementing the aesthetics of your facility. Using our precision water-jet cutting, your logo, marketing or inspirational message can be incorporated into your floor. Contact **REGUPOL** for details.



1000
Tan



1001
Light Beige



1006
Gold



1011
Clay Brown



1012
Yellow



1013
Pearl




3004
Wine Red



3016
Brick Red



3017
Bright Red



4005
Purple



5003
Bolt Blue



5013
Colbalt Blue



5014
Blue Grey



5015
Sky Blue



5018
Teal



5019
Capri Blue



5023
Blueberry



6011
Reseda Green



6017
Bright Green



6032
Signal Green



7006
Grey Beige



7015
Charcoal Grey



7022
Sambra Negro



7032
Silver Birch



7035
Light Grey



7037
Medium Grey



8014
Sepia Brown



8017
Chocolate Chip



8024
Brown



9004
Black

PRODUCT SPECIFICATIONS

| | |
|-----------------------------|---|
| Standard Roll Width | 48" |
| Standard Roll Thickness | 1" (24mm), other thicknesses available upon request |
| 1" System Weight Per Sq/Ft | 4.7 lbs. |
| Standard Reducer Dimensions | 1" X 4" x 48" (Weight: 4 lbs. per reducer) |
| ADA Reducer Dimensions | 1" X 12" x 48" (Weight: 14 lbs. per reducer) |

PRODUCT PERFORMANCE

| | | |
|---------------------------------------|--|--|
| Density | ASTM D3676 (Top Layer) | 65 - 80 pcf (depends on surface color) |
| Hardness | ASTM D2240 (Shore A) | 65 +/- 5 |
| Tear Strength | ASTM D624 | 70 pli min |
| Tensile Strength | ASTM D412 | > 200 PSI |
| Resistance to Chemicals | ASTM F925 | No Change |
| Coefficient of Friction | ASTM D2047 | > 0.95 |
| Impact Insulation Class | (IIC) E492 | > 50 |
| Critical Radiant Flux | ASTM E648 | Class II |
| LEED Qualification | Qualifies for Material and Resources Credit, and Indoor Environmental Quality (EQ) Credit* | |
| Thermal Resistance (R Value) | ASTM C518 | 0.876 F ft ² h/Btu |
| Surface Flammability Test (Pill Test) | ASTM D2859 | Pass |
| Static Load Limit | ASTM F970 | 0.013 inches @ 250 psi |
| Force Reduction (impact) | ASTM F2569 | 43% |
| Energy Restitution (impact) | ASTM F2772 | 56% |
| Vertical Deformation | ASTM F2157 | 1.4mm |
| Ball Rebound | ASTM F2117 | 104% |
| Resistance to Heat | ASTM F1514 | ▲ E = 2.56 |
| Resistance to Light | ASTM F1515 | |
| | 100 hours | ▲ E = 6.4 |
| | 200 hours | ▲ E = 5.98 |
| | 300 hours | ▲ E = 6.72 |
| | 400 hours | ▲ E = 6.12 |

* contact manufacturer for more details

HOW WE BUILD YOUR FLOOR




Together, with your architect and designer, we select the best matching EPDM for your own custom color-blend that integrates with your room design.



We start with your brand standards, your facility's layout, and your designer's vision.

Selecting the the best system for your athlete's movements and safety is key to the overall performance of the floor.




Your final engineered **REGUPOL** flooring solution is installed by one of our highly-qualified TEAM members, with the wear layer that has been designed specifically to match your athletic and brand standards.

Ask our experts about the optimal solution for your project:
sales@regupol.com | +1 800 537 8737

HOW WE SUPPORT YOUR BRAND IN YOUR FLOOR



We start with your team or company's logo.




Our technicians take your image (logo, symbol, saying, etc.) and electronically convert it to a graphic format that works with our water-jet cutter.

Once your image is ready, it is saved and we cut the image in-to and out-of the appropriate colors for your floor.



When your finished **REGUPOL** floor is installed, you will be as proud of the craftsmanship as you are of your brand.

Ask our experts about the optimal solution for your project:
sales@regupol.com | +1 800 537 8737



Millersville University
1-inch **aktivpro roll** System
Color: Gray Hound
Area: 4,000 SqFt
Authorized Dealer:
Abacus Sports - Lancaster, PA





HOW ARE SOLUTIONS EASY AND INSPIRING? **TOGETHER**

We've got it covered.

REGUPOL is more than sports and multi-purpose surfaces. More than our acoustic underlayments. And more than our state-of-the-art track and field surfaces. For over 65 years, providing solutions and delivering exceptional customer service has been our business. We understand that paying attention to the details is critical from the start of any project. Making changes later means inconvenience and additional expenses. We sweat those details so you don't have to.

Because we invented the technology to recycle tires into unique products, you benefit from decades of experience and expertise that only we can offer. That means the right information, advice, and answers when you need them, along with products that have been refined, tested, and retested over the years by our R&D team to deliver precision performance that will not disappoint. It is all accomplished with manufacturing that meets the highest quality standards with the strictest environmental requirements.

Delivering results, developing leaders worldwide

We have grown steadily since 1954 – new products developed, new subsidiaries established and new locations added. Today, **REGUPOL** is still a family enterprise, with third and fourth generations currently working in company management. We have eleven offices in seven countries, all serving as epicenters for innovation, ingenuity, and community.


Behind every **REGUPOL** product, there is a talented team that works together, across the globe, to create performance solutions from reclaimed materials that deliver durability and protection where you need it most without sacrificing sustainability. Whether used to protect surfaces and optimize load transport or to dampen sound and vibration, **REGUPOL** gets it done. We deliver with a level of product, customer service, and investment that only the inventor can offer.

No matter the customer—we aim to make their experience easy and inspiring, at an only-at-**REGUPOL** value.

Customer service excellence for over 65 years.



Ask our experts about the optimal
Solution for your project:
sales@regupol.com | +1 800 537 8737



Raw material procurement



Recycling



Product design



Use



Production



Distribution

 REGUPOL

HOW TO ACT MORE SUSTAINABLE? TOGETHER

Caring about the environment is part of the REGUPOL core mission. When it comes to how we conduct our business and develop our products, we think long term. We ask ourselves: How will our actions today impact tomorrow's world? We strive to protect and sustain our environment every step of the way, from development and production to customer use and disposal.

On the road, tires eventually wear down or sustain irreparable damage. But, in the environment, tires can last forever. They are nonbiodegradable, unable to be compacted like plastic or metal, and maintain their shape. Because of their sheer size and impenetrable rubber compound, tires are among the most problematic sources of waste we face today.

Each year we reclaim over 9 million tires (or 90,000 tons of SBR) from landfills to make environmentally sound solutions for the sports, acoustics, commercial, construction, and transportation markets. Our products are comprised of either shredded and cleaned SBR tire rubber (100% post-consumer waste) or a combination of SBR tire rubber and vibrant EPDM (post-industrial waste) color granules. The recycled content ranges from 75% to 100% recycled materials.

We understand that sustainability is not only about material content, which is why our manufacturing facility is near our rubber supplier. By eliminating excessive fuel use created through transportation of resources, fossil fuel expenditures are minimized, and atmospheric damage reduced. We are practically a zero-waste manufacturer regrinding our scrap material for use in some of our products.

There is an increasing demand for honesty and transparency from manufacturers. We were the first Pennsylvania manufacturer to be GreenCircle Certified. They provide independent verification of our products annually to ensure the legitimacy of our recycled content claims. But our commitment to sustainability does not end there; we've gone one step further. We work with UL Environment to independently certify our Environmental Product Declaration (EPD) to better understand and communicate the sustainable qualities and the life-cycle impact of our products.

Products used in the built environment should meet specific criteria for the health and safety of all occupants. These are called Health Product Declarations (HPDs) and are the standardized way of reporting the contents of building products. It is a valuable tool for not only encouraging transparency, it creates a sense of brand trust and is safer for anyone using the property. We make HPDs readily available for our family of brands including Aktiv, Sonus, and Revolution.

We are active USGBC members and our products can potentially assist architects and designers in earning points under 2 out of 9 categories—Materials and Resources and Indoor Environmental Quality—of LEED certification v4.1.





700

Employees

11

Locations worldwide

90,000

Tons of high quality rubber per year

132

Countries served worldwide



HOW DO YOU GROW TO THE TOP? **TOGETHER**

When you partner with REGUPOL, you become part of a community with a shared goal of leading with excellence and innovation. Our path to success has always been rooted in product innovation and great service, with an eye on the future. We transform over 90,000 tons of high-quality rubber every year to create products that meet and exceed industry standards.

Over the course of our 65-year journey to become a leader in our category of building materials, we have built up a wealth of expertise and forged long-term customer partnerships in 132 countries worldwide—like sprint legend Usain Bolt, who made history on our blue REGUPOL running track in Berlin's Olympic Stadium in 2009 when he set two world records.

"There's nothing like running on REGUPOL. To me, REGUPOL equals gold. In more ways than one." – Usain Bolt

We've got it covered.

NOTABLE REFERENCES

PROFESSIONAL

Anaheim Ducks

Atlanta Braves
Baltimore Orioles
Cincinnati Bengals

Cleveland Browns
Dallas Stars
New York Rangers
San Diego Padres

Elite Training Systems Rugby Canada

COLLEGIATE

University of Alabama at Birmingham
Appalachian State University
University of Cincinnati

Clemson University

East Carolina University
Duquesne University
Georgia State University
Georgia Tech University
University of Houston

University of Illinois

University of Iowa

Iowa State University

University of Louisiana at Lafayette

University of Louisiana at Monroe

Louisiana Tech University

University of Louisville

University of Mississippi "Ole Miss"

Marquette University

University of Michigan

Michigan State University

Mississippi State University

University of Missouri "Mizzou"

Naval Academy

North Carolina State University

The Ohio State University

Oklahoma University

Oklahoma State University

Oral Roberts University

University of Pittsburgh

Penn State University

Purdue University

Rice University

Saint Louis University

University of South Carolina

University of South Dakota

Southern Illinois University Carbondale

University of Texas at Austin

The University of Texas at San Antonio

Texas A&M University

Texas State University

Texas Tech University

University of Toledo

Virginia Military Institute

Washington State University

Western Michigan University

University of Wyoming

Augustana University

University of Delaware

Kalamazoo College

Millersville University

North Park University

University of Saint Francis

Shippensburg University

Tiffin University

HIGH SCHOOL

Allen High School

Brush High School

Fresno Unified School District

Grandville High School


Hattiesburg High School

Lake Travis High School

Rockford High School

Second Baptist High School

Waukegan High School



Rugby Canada
1-inch **aktivpro roll** System
Color: Grey Hound
Area: 4,000 SqFt
Authorized Dealer:
Centaur Products – Burnaby, BC





REGUPOL America LLC

11 Ritter Way
Lebanon, PA 17042
phone +1 800 537 8737
info@REGUPOL.com

REGUPOL BSW GmbH

REGUPOL Australia Pty. Ltd.

REGUPOL Acoustics Middle East FZE

REGUPOL Schweiz AG

REGUPOL Zebra Athletics LLC

BSW Shanghai CO. LTD.

REGUPOL.us

©2023 REGUPOL America LLC | 11 Ritter Way Lebanon, PA 17042
REGUPOL is a registered trademark of REGUPOL BSW GmbH